

Collier-Davis Drain  
BY LAW NUMBER

MD2388

Spraying drain along Courtright Line  
MAINTENANCE

COST 182.60

CON	LOT	PART	HECT	ROLL #	OWNER	BENEFIT	OUTLET	ASSESS	PERCENT	USED FOR MAINT	COST	SUBSIDY	ALLOW	NET COST
<b>Municipality of Brooke-Alvinston</b>														
<b>ACRICALTURAL</b>														
4	20	w1/2	1.00	010-20700	Jacob Mckellar Farms	0.00	60.00	60.00	100%	60.00	0.99	0.00		0.99
	20	e1/2	1.00	010-20800	Jacob Mckellar Farms	0.00	60.00	60.00	100%	60.00	0.99	0.00		0.99
	21	n1/2	1.00	010-20900	Michalek, F. Jr.	0.00	60.00	60.00	100%	60.00	0.99	0.00		0.99
5	19	n1/2s1/2	0.50	030-02100	Kucera, D	0.00	30.00	30.00	100%	30.00	0.49	0.00		0.49
	19	s1/2s1/2	0.00	030-02200	Kucera, F. Jr.	1,490.00	0.00	1,490.00	100%	1,490.00	24.57	0.00		24.57
	20	n1/2s1/2	18.00	030-02300	Dolbear, J.	0.00	1,080.00	1,080.00	100%	1,080.00	17.81	0.00		17.81
	20	s1/2s1/2	16.00	030-02400	Jacob Mckellar Farms	4,800.00	960.00	5,760.00	100%	5,760.00	94.97	0.00		94.97
	21	pt s1/2	2.00	030-02600	Michalek, F. Jr.	150.00	120.00	270.00	100%	270.00	4.45	0.00		4.45
			<b>39.50</b>	<b>Total Agricultural</b>		<b>6,440.00</b>	<b>2,370.00</b>	<b>8,810.00</b>		<b>8,810.00</b>	<b>145.26</b>	<b>0.00</b>	<b>0.00</b>	<b>145.26</b>
<b>NON AGRICULTURAL</b>														
4	20	pt. e1/2	0.40		McCann, D.	0.00	35.00	35.00	100%	35.00	0.58			0.58
5	19	pt n1/2	6.50	Alvinston	Residential Lots	0.00	550.00	550.00	100%	550.00	9.08			9.08
			<b>6.90</b>			<b>0.00</b>	<b>585.00</b>	<b>585.00</b>		<b>585.00</b>	<b>9.66</b>	<b>0.00</b>	<b>0.00</b>	<b>9.66</b>
<b>Public Lands-Roads</b>														
		Courtright Line	4.00		County of Lambton	850.00	830.00	1,680.00	100%	1,680.00	27.68			27.68
		Nauvoo Road			County of Lambton	290.00		290.00	0%	0.00	0.00			0.00
			<b>4.00</b>			<b>1,140.00</b>	<b>830.00</b>	<b>1,970.00</b>		<b>1,680.00</b>	<b>27.68</b>	<b>0.00</b>	<b>0.00</b>	<b>27.68</b>
<b>TOTAL BROOKE-ALVINSTON</b>						<b>7,580.00</b>	<b>3,785.00</b>	<b>11,365.00</b>		<b>11,075.00</b>	<b>182.60</b>	<b>0.00</b>	<b>0.00</b>	<b>182.60</b>

NOT IN DRAINAGE AREA

DIFF TO COST -0.00

CROSS BALANCE 0.00